

## LISTING OF THE CLAIMS

1. (Currently amended) A computing device implemented method of selecting software components for installation on a client computing device, the method comprising:

receiving from the client computing device, a request for an upgrade of a first software component capable of being processed by the client computing device;

receiving configuration information ~~regarding~~ indicating a software configuration of the client computing device ~~including information regarding~~ and indicating at least one additional software component ~~that is necessary for~~ post-upgrade execution of the first software component, ~~and that the~~ at least one additional software component has ~~been~~ being determined to be missing from the client computing device;

identifying second software components for installation on the client computing device based at least in part upon the request and the configuration information, the second software components ~~including but not limited to~~ comprising:

~~the upgrade for~~ of the first software component, and  
the at least one necessary additional software component determined to be missing from the client computing device and necessary for post-upgrade execution of the first software component; and

transmitting the second software components to the client computing device.

2. (Previously presented) The method of Claim 1, additionally comprising the act of receiving a configuration file that is associated with the request for the upgrade, the configuration file identifying at least said first software component.

3. (Previously presented) The method of Claim 2, wherein the configuration file has an associated expiration time.

4. (Previously presented) The method of Claim 3, additionally comprising :  
determining whether the expiration time indicates that the configuration file has expired;  
and

stopping said identifying upon the determination that the configuration file has expired.

5. (Previously presented) The method of Claim 2, additionally comprising reading only an identifier in the configuration file; and sending at least a portion of the configuration file to a component server.
6. (Previously presented) The method of Claim 2, additionally comprising: sending at least a portion of the configuration file to a component server, the component server performing said identifying.
7. (Previously Presented) The method of Claim 2, additionally comprising reading an identifier in the configuration file; and sending at least a portion of the configuration file to a component server.
8. (Original) The method of Claim 2, additionally comprising storing the configuration file on a configuration server.
9. (Previously presented) The method of Claim 1, wherein the software configuration includes one or more computer-readable modules on the client computing device.
10. (Previously presented) The method of Claim 1, wherein the software configuration includes a language that is associated with one or more computer-readable modules on the client computing device.
11. (Previously Presented) The method of Claim 1, wherein the software configuration includes a type of operating system that is executing on the client computing device.
12. (Previously presented) The method of Claim 1, additionally comprising: identifying one or more programs upon receiving the request, the one or more programs being associated with said first software component.

13. (Currently amended) A computer system having a configuration subject to change over time, the computer system comprising:

a first computer having one or more system resources;

a second computer operably coupled with~~connected to~~ the first computer via a network, the second computer associated with one or more installable components and ~~equipped-operative~~ to receive a request for an upgrade of one or more components from the first computer;

a configuration file that is readable by the first computer, the configuration file identifying at least one component on the first computer to be upgraded;

an upgrade manager executing on the first computer, the upgrade manager ~~configured-operative~~ to transmit the configuration file and information about the system resources of the first computer to the second computer, the information including indication of components of an operating system that ~~is-executing~~that are executable by ~~in~~ the first computer; and

an upgrade handler executing on the second computer, the upgrade handler ~~configured-operative~~ to identify installable components based upon the at least one component to be upgraded in the configuration file and the system resources of the first computer, the upgrade handler operative to transmit to the first computer software components including but not limited to~~comprising:~~

~~the at least one component to be upgraded and someone or more components of to be executed along with the operating system that are is necessary for post-upgrade execution of the at least one component on the first computer after the at least one component has been upgraded, but missing on the first computer before the at least one component is upgraded.~~

14. (Original) The computer system of Claim 13, wherein the configuration file is formatted for access by the upgrade handler.

15. (Original) The computer system of Claim 13, wherein the configuration file has an associated expiration time.

16. (Original) The computer system of Claim 13, wherein the upgrade manager retrieves the configuration file without parsing contents of the configuration file and wherein the upgrade manager transmits the configuration file to the upgrade handler.

17. (Previously Presented) The computer system of Claim 13, wherein the upgrade manager parses the content of the configuration file and transmits the content to the upgrade handler.

18. (Original) The computer system of Claim 13, additionally comprising a network, the first computer being in operable communication with the second computer via the network.

19. (Currently amended) A computer system for updating one or more components on a client computing device, the system including:

a client computing device operably ~~coupled~~connected with a network, the client computing device configured to identify the one or more components to be updated and one or more client conditions including operating system components that are executing on the client computing device;

a configuration file identifying at least one of the operating system components, the configuration file being provided to the client computing device by a configuration computer via the network;

the configuration computer which is separate and distinct from the client computer device; and

a component server coupled with the network, and configured to receive the configuration file from the client computing device, and to responsively identify one or more components to be installed on the client computing device, the identifying being based upon the components to be updated and identified by the configuration file, and the identified components ~~including but not limited to~~comprising the components to be updated and identified in the configuration file.

20. (Currently amended)) A computer system for selecting components for installation on a client computing device, the system comprising:

means for receiving from a client computing device via a network, a request to upgrade one or more non-operating system components of the client computing device;

means for determining one or more system conditions regarding the client computing device, the system conditions including a type of operating system that is executing on the client computing device;

\_\_\_\_\_ means for identifying components to be installed on the client computing device before upgrading the one or more components of the client computing device, the identifying being based upon the request and the system conditions including the type of operating system that is executing on the client computing device, and the identified components ~~including but not limited to~~ comprising the non-operating system component(s) to be upgraded and one or more components of the operating system that are necessary for post-upgrade execution of the non-operating system components, but missing on the client computing device; and

transmitter adapted to transmitting the identified components to the client computing device via the network;

21. (Previously presented) The system of Claim 20, additionally comprising means for receiving a configuration file that is associated with the request for upgrade, the configuration file identifying the one or more components to be upgraded.

22. (Original) The system of Claim 21, additionally including means for associating an expiration time with the configuration file.

23. (Original) The system of Claim 22, additionally comprising:  
means for determining whether the expiration time indicates that the configuration file has expired; and  
means for stopping the means for identification upon a determination that the configuration file has expired.

24. (Original) The method of Claim 21, additionally comprising means for sending the configuration file to a component server, the component server including the means for identifying.

25. (Previously presented) The system of Claim 21, additionally comprising means for sending at least a portion of the configuration file to a component server, the component server including the means for identifying.

26. (Original) The system of Claim 21, additionally comprising means for storing the configuration file on a configuration server.

27. (Previously presented) The system of Claim 20, wherein the system conditions include one or more computer readable modules on the client computing device.

28. (Previously presented) The system of Claim 20, wherein the system conditions include a language that is associated with one or more computer-readable modules that reside on the client computing device.

29. (Previously presented) The system of Claim 20, wherein the system conditions include the type of operating system that is executing on the client computing device.

30. (Previously presented) The system of Claim 20, additionally comprising means for identifying one or more program files upon receiving the request, the one or more program files being associated with at least one of said one or more components to be upgraded.

31. Cancelled

32. (Currently amended) A ~~computer implemented~~ method of selecting components for installation on a ~~computer~~ electronic device, the method comprising:  
receiving via a network, a request to upgrade first one or more components of  
the ~~computer~~ electronic device;

identifying second components for installation on the ~~computer~~electronic device based upon the request and system conditions of the ~~computer~~electronic device wherein the system conditions including a characteristic of the operating system that is being executed on the electronic device, the second components ~~including but not limited to~~comprising:

one or more ~~the~~ component(s) to be upgraded, and

at least one component ~~of~~to be executed with an operating system necessary for post-upgrade execution of the upgraded components on the ~~computer~~electronic device, but missing on the ~~computer~~electronic device before the one or more components are upgraded, and ~~the system conditions including a characteristic of the operating system that is executing on the computer and~~;

transmitting the identified second components to the electronic device ~~computer~~ via the network.

33. (Previously presented) The method of Claim 32, additionally comprising receiving a configuration file that is associated with the request for upgrade, the configuration file identifying said first one or more components.

34. (Previously Presented) The method of Claim 32, additionally comprising associating an expiration time with the configuration file.

35. (Previously Presented) The method of Claim 34, additionally comprising :  
determining whether the expiration time indicates that the configuration file has expired;  
and  
stopping the identification step upon the determination that the configuration has expired.

36. (Previously presented) The method of Claim 33, additionally comprising sending the configuration file to a component server, the component server performing the identifying.

37. (Previously presented) The method of Claim 33, additionally comprising sending at least a portion of the configuration file to a component server, the component server performing the identifying step.

38. (Cancelled)

39. (Currently amended) A computer system for selecting components for installation, the computer system comprising:

a server computer having a processor, a computer-readable storage medium and data communication subsystem; and

an upgrade handler residing in the computer-readable storage medium and being executing-executed on the server computer, the upgrade handler configured to identify components upon receiving via the data communication subsystem one or more system conditions of a client computing device and a request to upgrade one or more non-operating system components of the client computing device, the system conditions including indications about an operating system that is executing on the client computing device, the identified components including but not limited to the component(s) to be upgraded and one or more non-operating system components of an operating system that areis necessary for post-upgrade executiong of the non-operating system components on the client computing device, but missing on the client computing device before the components are upgraded, and the server computer identifying the components based at least in part on the received one or more system conditions and the request to upgrade.

40. Cancelled.

41. (Currently amended) A computer implemented method of selecting components for installation on a client ~~computer~~electronic device, the method comprising:



determining one or more system conditions regarding the electronic device~~client computer~~, the system conditions including one or more operating system components that are being executed~~executed~~ on the electronic device~~client computer~~;

transmitting a request to upgrade one or more non-operating system components of the electronic device~~client computer~~ to a server computer via a network, the request to upgrade including the determined system conditions of the electronic device~~client computer~~; and

receiving the requested upgrades and additional components, the additional components including but not limited to ~~the component(s) to be upgraded and~~ one or more components ~~of~~ with an operating system that ~~are~~ is necessary for post-upgrade execution of the non-operating system components on the client computer, but missing on the client computer pre-upgrade; and

installing the received components on the client computer.

42. (Previously presented) The method of Claim 41, additionally comprising: receiving a configuration file related to the one or more components of the client computer to be upgraded.

43. (Previously Presented) The method of Claim 42, further comprising associating an expiration time with the configuration file.

44. (Previously presented) The method of Claim 43, further comprising: determining whether the expiration time indicates that the configuration file has expired.

45. (Previously Presented) The method of Claim 42, additionally comprising: sending the configuration file to a component server to identify one or more of the components.

46. (Previously presented) The method of Claim 42, additionally comprising: sending at least a portion of the configuration file to a component server to identify one or more of the components.

47. (Previously Presented) The system of Claim 19, wherein the client conditions include a user identification number that is associated with the user.

48. (Previously Presented) The system of Claim 19, wherein the client conditions include a preferred language.

49. -50. Cancelled

51. (Previously Presented) The system of Claim 38, wherein the client conditions includes a user identification number that is associated with the user.

52. (Previously Presented) The system of Claim 38, wherein the client conditions include a preferred language.

53. (Previously Presented) The system of Claim 39, wherein the client conditions include a user identification number that is associated with the user.

54. (Previously Presented) The system of Claim 39, wherein the client conditions include a preferred language.

55. – 60. Cancelled.

61. (Currently amended) A client computing device comprising:

\_\_\_\_\_a processor, a computer-readable storage medium and data communication subsystem; and

\_\_\_\_\_an upgrade manager stored on the computer-readable storage medium and operable to:

retrieve via the data communication subsystem a configuration file identifying one or more software components for which an upgrade is available for download, store the configuration file in the computer-readable storage medium,

identify one or more client conditions that are associated with the client computing device, the client conditions including features of an operating system that is executing on the client computing device,

generate an upgrade request that includes at least a portion of the configuration file and the client conditions including a type of the operating system that is executing on the client computing device,

transmit the upgrade request to one or more of a plurality of server computers, and

in response, receive a plurality of components ~~including but not limited to~~ comprising non-operating system component(s) identified in the configuration file as having an upgrade available and at least one component of the operating system necessary for post-upgrade execution of the non-operating system component(s), but missing on the client computing device pre-upgrade, the received components being provided to the client device based upon the included portion of the configuration file and a type of the operating system that is ~~executing~~ being executed on the client computing device.

62. (Previously Presented) The client computing device of claim 61, wherein the one or more of a plurality of server computers are identified by the configuration file.

63. (Previously presented) The client computing device of claim 61, wherein the configuration file identifies one or more streaming media associated components for which an upgrade is available for download.

64. (Cancelled)

65. (New) The method of Claim 1, wherein the upgrade of the first component comprises a replacement of the first component.

66. (New) The computer system of Claim 13, wherein the upgrade of the one or more components comprises replacement(s) of the one or more components.

67. (New) The method of Claim 32, wherein the upgrade of the one or more components comprises upgrade of one or more components associated with digital signal processing.

68. (New) The computer system of Claim 39, wherein the upgrade of the one or more components comprises upgrade of one or more components associated with digital signal processing.